

# NATURAL BEAUTY PROTECTED

LuxDecor impregnations, stains, oils

varnishes, stains, varnishes for wood.

for indoor and outdoor use

easy to apply and safe

create a durable coating



WE INSPIRE  
AT HOME  
WE ADVISE  
IN THE GARDEN



*LuxDecor* is a brand that brings together modern, eco-friendly and easy-to-use products for decorative wood protection. Their main advantages include high quality, original colours and long-lasting resistance to all factors that affect wood. Using LuxDecor brand products, you can renew and protect all wooden constructions indoors and outdoors for years.

The brand is owned by Unicell International, a manufacturer of paints and construction chemicals. The company has been operating since 1998. Since the beginning, it has been successfully and consistently building its position domestically and internationally. As of 2019, Unicell International is part of the International Flügge Group, one of the leading manufacturers of paints and construction chemicals in Europe.





## Impregnate for garden wood

LuxDecor garden impregnate is an effective preparation for the protection and decoration of wood. The product contains natural waxes that repel water and thus increase the durability and strength of the wood. Thanks to its gel consistency, it is ideal for vertical surfaces, does not drip or run and is easy to spread.

Recommended for:

- fences,
- cottages,
- gazebos,
- pergolas.



GET THE JOB  
DONE IN 1 DAY

impregnate for garden wood • impregnate for garden wood • impregnate for garden wood • impregnate for garden wood •

### Where is it used?

LuxDecor garden impregnate is intended for painting outdoor garden wood: fences, pergolas, gazebos, palisades, fence pickets, tool sheds, playgrounds, swings and other garden architecture. Especially recommended for painting unpolished wood.





**LuxDecor**


NEW IN  
THE OFFER



## Water oil for wood

The product is based on natural components (water and vegetable oils). The product is easy to apply and colors are highly durable.

Properly applied, it protects the wood against moisture and dirt. It provides a long-term protection against the harmful effects of: moisture, mold, fungi and UV rays.



white

grey

oak

walnut

## Back to nature

Environmentally friendly oil for indoor and outdoor use. It deeply penetrates the structure of the wood and as a result it beautifully emphasizes the natural grain pattern. Thanks to its excellent penetration, it does not flake off the surface and it effectively prevents cracks.

## Satin finish

Depending on the number of layers applied, two different effects can be obtained. One layer guarantees a matt coating while two (or more layers) give the wood a subtle shine and pleasant-to-touch finish.





TERRACE  
INTEGRATED  
INTO THE  
SURROUNDINGS



## Water oil for terraces

The oil is designed for outdoor wood impregnation and decoration. It retains the natural look of the wood and the painted substrate is protected against harmful effects of external factors.




### No cracks

The oil deeply penetrates and strengthens the structure. It prevents water ingress. The lack of coating allows the wood to breathe and transport moisture that reduces the formation of cracks.

NEW IN  
THE OFFER

### For all types of wood

Due to the content of resins, the product can be used for terraces made of deciduous, coniferous and exotic wood.



white

grey

chestnut

black





IT COMBINES  
THE BEST  
FEATURES OF  
IMPREGNATION  
AND PAINT

## Njord wood paint




**Njord** is a wood paint featuring extreme resistance, designed for coating outdoor wooden surfaces. The product is hydrophobic.

Due to ecological content, **Njord** meets the requirements of PN-EN 71-3, "Toys safety" standard.

### Trendy colors inspired by Scandinavian nature

**Njord** Wood paint is available in 14 original colors each of which evokes associations with the austerity and beauty of Scandinavia.



### Perfect for finishing a wooden house

**Njord** Wood paint is an ecological product- it does not contain any harmful solvents. Its smell is gentle and practically imperceptible.

Additionally, it has excellent coverage and spreads very well without leaving any streaks.





# LuxDecor

## WOOD WITHOUT DISCOLOURATION



### Njord Separating Primer



The Njord Separating Primer is a clear, water-soluble product especially recommended for elements made of oak, ash and exotic wood.

Suitable for use before the application of light colors of enamels, varnishes, stain varnishes and acrylic wood stains of Luxdecor brand.

#### No stains

When applied on wood, it stops tannins from migrating, which effectively prevents yellowing and darkening of the surface to be painted. It significantly reduces the risk of discoloration.



S

#### Perfect for beginners

The product is ready-to-use. It increases adhesion of subsequent impregnation layers and levels the absorbency of the substrate - which facilitates further work.



## Njord BEFORE / AFTER

### Wooden facade restoration

The charm and beauty of wooden houses are indisputable. With products from LuxDecor Njord line you can be sure that the exterior walls of your home will be exquisite, but also properly protected.



### Njord Separating Primer

Apply to a wood that has been cleaned of old paint coatings. This will even out the entire substrate absorption and protect it against the unattractive discoloration.

### Njord Wood paint

It is a product whose colors refer to the houses in Scandinavia. It combines the best features of paint (covering and satin coating) and wood preservative (resistance to weather conditions, attack by fungi and mold, and moisture).








### Wood stain

The product is based on acrylic resin. It is intended for protection and decoration of wood and wood-like materials. It does not contain solvents and it is non-flammable and odorless.

The Impregnation meets the requirements of PN-EN71-3 „Toys safety” standard.



### 4 capacities available

The product is available in: 1 l, 3 l, 5 l, 10 l. Such a wide range of capacities allows for precise calculation and purchase of the amount necessary to impregnate a chosen surface.



### The content of natural waxes


The addition of the highest-quality natural wax makes the impregnated surface repel water. By cutting off the water absorption, the product prevents the growth of mold, fungi, and decay, and thus increases the life of the wood.

### Recommended for first impregnation

Wood impregnation is perfect for the first protection of the wood. It deeply penetrates into its structure, guaranteeing the durability of the color and coating. It applies very easily and does not drip.







PROTECTS  
AND GIVES  
SHINE



## Woodstain varnish

Woodstain varnish is a protective and decorative product for wood that does not contain any harmful nor chemically aggressive substances.


Ecological and odorless formula makes the product meet the requirements of PN-EN71-3 „Toys safety“ standard.

### Guarantee of quick work progress

Painting the wood with Woodstain varnish is a guarantee of quick work progress as the second layer may be applied just after 30-45 minutes. Note! Applying more layers increases the gloss, but reduces the transparency of the coating.

### Complete protection

The product creates a topcoat that perfectly protects the wood and gives it a shine. It colors and emphasizes the natural texture of the wood, enhancing the grain pattern. It protects against UV rays.





**LuxDecor**



**YOU CAN  
MAKE  
IT EASY**

## Painting of garden architecture

A beautiful garden is a unique composition of properly selected elements. Among them are wooden pergolas. It is worth to expose them and give them a noble shine.

### Woodstain varnish

It is a product that not only protects the wood against weather conditions and UV rays but also it gives the wood a durable color.

Before you start painting with Woodstain varnish, make sure that the surface has been properly prepared - remove all dust and dirt.

Paint with a brush. Avoid creation of streaks.

*furniture  
facades, fences  
pergolas, doors  
windows*

DO IT YOURSELF DO IT YOURSELF DO IT YOURSELF



## An atmospheric summer house

The summer house offers the possibility of interaction with nature. As a result, it is worth protecting it so that it integrates into the surroundings.

**LuxDecor** Lazure is a decorative and protective product that creates a semitransparent coating with a satin finish. Therefore it beautifully emphasizes the natural wood grain.

Apply two thin layers. Spread the product along the wood grains. Use a brush to paint.

*gazebos,  
fences, doors  
shuttering  
garden furniture  
paneling  
wooden  
soffits*







EMPHASIZES  
THE NATURAL  
WOOD TEXTURE



It colors and emphasizes the wood grains

The product penetrates into the wood, giving it a color and creating a satin gloss coating on the surface. In addition, it emphasizes the wood texture and grains. It is available in a wide range of natural colors thanks to which it can be used for many purposes.

Garden furniture always clean

Lasure creates a topcoat that protects the wood against the ingress of dirt and thus facilitates cleaning and annual maintenance between seasons.

## Wood lasure

Lasure is a water-based product intended for decorative and protective painting of the wood. It makes the wood resistant to harmful weather conditions.

Ecological and odorless formula makes the product meet the requirements of PN-EN71-3 „Toys safety“ standard.







## Wood stain

Wood stain is a water-dilutable preparation containing acrylic dispersions. It is used as an agent for the decorative colouring of wood in interiors. It highlights the structure and grain of the wood.



# FOR A FLAWLESS FINISH!



Colours the wood and highlights its grain.

Odourless, economical and environmentally friendly. Meets the requirements of the standard PN-EN 71-3 "Safety of toys". Creates a durable, UV-resistant colour when dry. Available in 12 colours.

Wide range of applications

Wood stain is recommended for furniture, windows, doors, wood panelling and other wooden elements. It can be used alone or as a primer for varnishes.





# LuxDecor

## TRENDY COLORS FOR YEARS

### Acrylic enamel

The product is based on acrylic resin. It is intended for protection and decoration of wood and wood-like materials. It contains the highest quality natural waxes that repel water and therefore increase durability and strength of the wood. It easily spreads and does not drip during painting.



#### Safety of household members

Laboratory tests prove that **LuxDecor** acrylic Enamel is a safe product for the user. The product meets the requirements of **PN-EN71-3 „Toys safety”** standard and as a result it may be used in any room including the child's room. It can be applied to elements with which the child has direct contact: beds, cabinets, chairs, toys, etc.



#### Wide range of use

The product is characterized by good coverage and substrate adhesion. It can also be used on metal surfaces – just after priming them with anti-corrosion paint.

#### Matt and gloss

Acrylic Enamel offers a wide range of colors and possibilities. The interiors can be arranged in any style. Enamel is available in two types of coating: matt and gloss – this significantly extends the scope of its use.

##### matt



##### gloss





UNIVERSAL  
REPAIR  
COMPOUND

**Spackling paste**

Spackling paste for wood is used to fill scratches and small cracks on the surface of wood and wood-like elements (furniture, doors, floors, plywood).



**Durable and elastic coating**

Very easy to apply. Forms a very durable and elastic film after drying, which can be sanded and varnished.

**Ecologically harmless**

The spackling paste does not contain solvents and other harmful and chemically aggressive substances. It is a durable and safe product for the user.







## Protektor Impregnate for construction timber

A product for the protection of construction timber, rafter framing and other wooden elements indoors and outdoors. It is recommended as a primer for decorative impregnates, varnishes and stain varnishes.

### Complete protection and preservation

Prolongs the life of timber and protects it from weathering and biological attack. Protects against fungi and household insects.

### Extremely effective

The impregnate is very efficient and easy to apply. After application, it penetrates deep into the wood and forms a durable and effective protective barrier. It is available in a colourless version and with a control colour. It has no decorative function



Impregnate for construction timber • Impregnate for construction timber



## Fire-rated wood impregnate


A preparation for the protection of construction timber against fire. Ready for use. For indoor and outdoor use in places where it cannot be washed out.

### Complete protection and preservation

The product additionally protects the wood against biological attack. It penetrates deep into the structure and forms a durable and effective protective barrier against fungal attack and wood-destroying insects.

### Extremely effective

The impregnate is very efficient and easy to apply. After application, it penetrates deep into the wood and forms a durable and effective protective barrier. It is available in a colourless version. It has no decorative function.



fire-rated wood impregnate • fire-rated wood impregnate • fire-rated wood impregnate •





### Water-based impregnating agents and paints

The product is ready-to-use. It increases adhesion of subsequent impregnation layers and levels the absorbency of the substrate – which facilitates further work.

### Choose the best product

Stain, impregnating agent or maybe wood oil? Each of the LuxDecor brand products is unique and intended for specific applications. Think about the effect you want to achieve and we will provide the right solution.

### Technical data



Water oil for wood



Water oil for terraces



Wood Impregnation



Njord wood paint



Njord Separating Primer



Woodstain varnish



Lasure for wood



Acrylic Enamel

use	garden furniture, fences, pergolas	terraces, landings	facade, pillars, beams, balustrades, pergolas, fences	facades, sheds, gazebos, fences, furniture, paneling	wooden facades, fences, gazebos, pergolas, garden furniture and other elements of wooden architecture	furniture, garden structures, other wooden elements	gazebos, fences, shuttering, doors, garden furniture, paneling, wooden soffit	paneling, furniture, windows, doors
coverage	up to 12 m²/l (one layer)	up to 12 m²/l (one layer)	up to 20 m²/l per layer (on a smoothed surface)	up to 16 m²/l per layer (depending on the substrate)	up to 10 m²/l (one layer)	up to 12 m²/l (one layer)	up to 16 m²/l per layer (on a smoothed surface)	up to 14 m²/l per layer (on a smoothed surface)
available capacities	1 l	1 l	1 l, 3 l, 5 l, 10 l	0,75 l, 2,5 l, 5 l	0,75 l	0,75 l, 2,5 l	0,75 l, 2,5 l, 5 l	0,4 l, 0,75 l
diluent	water	water	water	water	water	water	water	water
substrate preparation	the wood should be clean, dry, dust-free and degreased; old surfaces should be sanded with fine-grained sandpaper and dusted	the wood should be clean, dry, dust-free and degreased; old surfaces should be sanded with fine-grained sandpaper and dusted	the surface should be clean, degreased, free of dirt and old coatings of paints and varnishes	the wood should be healthy, dry (humidity max 15%), clean, degreased and sanded, it is recommended to use Njord Separating primer if applied on wood containing tannins	the substrate should be clean, stable, dry, uniform, free of dust and dirt; wood humidity should be approx. 15%	the wood should be healthy, dry, cleaned, sanded and impregnated with biocidal technical impregnation	the wood should be healthy, dry, cleaned, sanded and impregnated with biocidal technical impregnation	the substrate should be stable, strong and ry; old paint layers should be removed; before painting, the substrate should be thoroughly sanded and cleaned, then degreased and dried
application temperature	10 – 25°C	10 – 25°C	> 6°C	10 – 30°C	> 10°C	10 – 25°C	10 – 35°C	5 – 30°C
tools	brush	brush	brush / roller	brush	brush	brush / roller sponge / spray	brush / roller	soft brush
touch dry	6 h	6 h	1 h	ca. 2 h	1 h	45 min	1 h	2 h
second layer	24 h	24 h	1 – 2 h	after ca. 4 h	after ca. 1 h	30 – 45 min	after ca. 1 h	after 4 h
completely dry	24 h	12 – 24 h	12 – 24 h	ca. 24 h	24 h	48 h	after ca. 12 h	24 h
number of layers	1 – 2	1 – 2	2	2 (3 for light colours)	1 – 2	2	1 – 2	2 (3 for light colours)
tips	1 layer – matt finish, 2 or more layers: satin finish	1 layer – matt finish, 2 or more layers: satin finish	the product is intended exclusively for the protection and decoration of vertical surfaces	the product is intended exclusively for the protection and decoration of vertical surfaces	in case of soft wood with a lot of resin, the resin must be scraped and wood surface degreased with gasoline	applying more layers increases the gloss, but reduces the transparency of the coating	the colourless version provides no UV protection and is indented for indoor use only	only tools designed for acrylic products should be used



wood  
care  
impregnation  
ecology  
inwards  
paint  
durability  
garden

**LuxDecor**

protection  
stain  
oil  
putty  
lacquer  
chalky  
outside  
house

LuxDecor is an ecological brand  
and modern products for decoration  
and protection of wood.



[www.luxdecor.expert](http://www.luxdecor.expert)

